UBRELVY (ubrogepant) tablets 1888

THE ANYTIME, ANYWHERE MIGRAINE MEDICINE[®]



MOST HAVE FAST FAST MIGRAINE PAINELLEF WITHIN 2 HOURS

In clinical studies, 60% of people had migraine pain relief within 2 hours.

What is UBRELVY[®] (ubrogepant)?

UBRELVY is a prescription medicine used for the acute treatment of migraine attacks with or without aura in adults. UBRELVY is not used to prevent migraine headaches.

IMPORTANT SAFETY INFORMATION

Do not take UBRELVY if you are taking medicines known as strong CYP3A4 inhibitors, such as ketoconazole, clarithromycin, or itraconazole, or if you are allergic to UBRELVY or any of its ingredients.

Please see additional Important Safety Information throughout. Please see accompanying Consumer Brief Summary or visit https://www.rxabbvie.com/pdf/ubrelvy_pi.pdf for full Prescribing Information.



ARE YOU FINDING THE MIGRAINE RELIEF YOU NEED WITHOUT THE TRADEOFFS YOU DON'T?

When migraine strikes, do you ask yourself if the trade-offs of treating are worth it?

Do you think maybe you'll just push through the pain?

Do you wait to see if it's a bad migraine before you take something?

Do you ever hesitate to take your migraine medication?

UBRELVY CAN BE ANOTHER OPTION TO TREAT YOUR MIGRAINE ATTACKS.

TALK TO YOUR DOCTOR ABOUT YOUR MIGRAINE TO SEE IF UBRELVY IS RIGHT FOR YOU.

IMPORTANT SAFETY INFORMATION (CONT.) Before taking UBRELVY, tell your healthcare provider about all your medical conditions, including if you:

- Have high blood pressure
- · Have circulation problems in your fingers and toes
- Have liver problems
- Have kidney problems
- Are pregnant or plan to become pregnant
- · Are breastfeeding or plan to breastfeed

Please see additional Important Safety Information throughout. Please see accompanying Consumer Brief Summary or visit https://www.rxabbvie.com/pdf/ubrelvy_pi.pdf for full Prescribing Information.

MIGRAINE PAIN RELIEF STARTS WITH

Rx Only



100 mg

1 tablet

Fold at Notch and Te

In clinical studies, 60% of people had migraine pain relief within 2 hours.



UBRELVY WORKS DIFFERENTLY

UBRELVY is an oral non-narcotic pill and is the first in a different class of medication for the acute treatment of migraine.

Unlike older migraine medicines, UBRELVY is the first migraine pill of its kind designed to directly block the receptor for the calcitonin gene-related peptide (CGRP) protein believed to play a major role in migraine attacks by causing pain and inflammation.

NORMAL DURING MIGRAINE

UBRELVY BLOCKING CGRP DURING A MIGRAINE ATTACK

UBRELVY is a CGRP receptor antagonist, which means it is **designed to block these proteins** from attaching to your sensory nerve endings.



IMPORTANT SAFETY INFORMATION (CONT.)

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Your healthcare provider can tell you if it is safe to take UBRELVY with other medicines.

UBRELVY may cause serious side effects, including:

 Allergic reactions: Most reactions happened within hours after taking UBRELVY and were not serious. Some reactions may occur days after taking UBRELVY. Call your healthcare provider or get emergency help right away if you have swelling of the face, mouth, tongue, or throat or trouble breathing.

IMPORTANT SAFETY INFORMATION (CONT.)

- **High blood pressure:** New or worsening of high blood pressure can happen. Contact your healthcare provider if you have an increase in blood pressure.
- Raynaud's phenomenon: A type of circulation problem can worsen or happen. Raynaud's phenomenon can lead to your fingers or toes feeling numb, cool, or painful, or changing color from pale, to blue, to red. Contact your healthcare provider if these symptoms occur.

Please see additional Important Safety Information throughout. Please see accompanying Consumer Brief Summary or visit https://www.rxabbvie.com/pdf/ubrelvy_pi.pdf for full Prescribing Information.



EARLY SIGNS

People who took UBRELVY at the early signs of a migraine attack stopped intense head pain before it started.

UBRELVY treats migraine attacks in adults and is not for migraine prevention. In pivotal clinical studies, some people had pain freedom within 2 hours. In another study with people who could reliably predict a headache 1-6 hours before it began, 46% avoided moderate to severe head pain for 24 hours when taking UBRELVY 100 mg (vs 29% on placebo). Not everyone had pre-headache symptoms; some studied couldn't accurately predict their headaches. The most common side effects were nausea, dizziness, and tiredness.

ASK YOUR DOCTOR ABOUT TREATING MIGRAINE AT EARLY SIGNS WITH UBRELVY

With UBRELVY 100 mg, people were able to avoid migraine pain when taken during early symptoms of a migraine attack. Being able to identify early signs, and taking UBRELVY during those early signs, can help you avoid head pain. Treating early in the attack isn't for everyone, and some can't accurately predict their headache. Talk to your doctor before changing how you treat migraine attacks.

EARLY SIGNS OF A MIGRAINE ATTACK COULD MEAN HEAD PAIN IS NEXT.

The way you experience migraine attacks may be different than others, but attacks generally have 4 stages.

TACK STAGE

PEOPLE WHO TOOK UBRELVY EARLY WERE



MORE LIKELY TO AVOID INTENSE HEAD PAIN THROUGH 24 HOURS

3 HEAD PAIN

- Head pain
- · Light and sound sensitivity
- Nausea and vomiting

POSTDROME

- Drained
- Confused
- Washed out

Tiredness/sleepiness/fatigue
Sensitivity to sound

ATTACK STAGE

 Dizziness/lightheadedness, vertigo/imbalance

PRODROME/PRE-HEADACHE

Neck pain or stiffness

Light sensitivity

Note: Not everyone has these signs, and they can differ from person to person.

2 AURA

- Visual disturbances
- Temporary loss of sight
- Numbness and tingling

ATTACK STAGE

Please see additional Important Safety Information throughout. Please see accompanying Consumer Brief Summary or visit https://www.rxabbvie.com/pdf/ubrelvy_pi.pdf for full Prescribing Information.

ATTACK STAGE

IMPORTANT SAFETY INFORMATION (CONT.)

The most common side effects of UBRELVY are nausea (4%) and sleepiness (3%). These are not all of the possible side effects of UBRELVY.



UBRELVY^{*} <u>COMPLETE</u>

ELIGIBLE COMMERCIALLY INSURED PATIENTS MAY PAY AS LITTLE AS \$0* A MONTH FOR UBRELVY



See if you're eligible to pay as little as \$0° for every fill with the UBRELVY Complete Savings Card.

Not actual card.

HOW TO START SAVING

There are two ways to get your UBRELVY Complete Savings Card:



SCAN TO SIGN UP TODAY or visit UBRELVY.com/complete to learn more.



Have questions? We have answers.

One of our live representatives can answer your questions about insurance coverage, cost, and other information you may want to know about UBRELVY. Call **1.844.4UBRELVY** (1.844.482.7358) Monday–Friday, 8:00 AM to 8:00 PM Eastern Time.

*Eligibility: Available to patients with commercial insurance coverage for UBRELVY who meet eligibility criteria. This co-pay assistance program is not available to patients receiving prescription reimbursement under any federal, state, or government-funded insurance programs (for example, Medicare [including Part D], Medicare Advantage, Medigap, Medicaid, TRICARE, Department of Defense, or Veterans Affairs programs) or where prohibited by law. Offer subject to change or termination without notice. Restrictions, including monthly and annual maximums, may apply. This is not health insurance. For full Terms and Conditions, visit UBRELVY.com/savings-terms or call 1-844-577-6239 for more information. To learn about AbbVie's privacy practices and your privacy choices, visit https://abbv.ie/corpprivacy.

^{tMsg & data rates may apply. You are not required to consent as a condition of receiving goods or services. You can reply HELP for help. You can reply STOP to opt out at any time. By texting UBRELVY to 48764, you agree to AbbVie's Mobile T&C at https://abbv.ie/USMobileTerms and Privacy Notice at https://abbv.ie/corpprivacy. Full Prescribing Information available at https://www.rxabbvie.com/pdf/ubrelvy_pi.pdf.}

UBRELVY[®] <u>COMPLETE</u>

Please see additional Important Safety Information throughout. Please see accompanying Consumer Brief Summary or visit https://www.rxabbvie.com/pdf/ubrelvy_pi.pdf for full Prescribing Information.



UBRELVY CHALLENGE

Please see additional Important Safety Information throughout. Please see accompanying Consumer Brief Summary or visit https://www.rxabbvie.com/pdf/ubrelvy_pi.pdf for full Prescribing Information.



TAKING AN ORAL TRIPTAN TO TREAT MIGRAINE ATTACKS?

FOR ELIGIBLE COMMERCIALLY INSURED PATIENTS TAKING AN ORAL TRIPTAN

START UBRELVY AND IF YOU CHOOSE TO REFILL YOUR TRIPTAN, YOUR NEXT TRIPTAN FILL IS ON US.*



SCAN TO GET STARTED or visit UBRELVY.com/challenge

[•]Offer not available to patients enrolled in Medicare, Medicaid, or any other federal or state healthcare programs. Restrictions, including savings maximums, apply. Patient out-of-pocket expense will vary depending on insurance coverage. UBRELVY coupon becomes valid upon activation of offer. Oral triptan medication coupon becomes valid two (2) weeks from activation of offer and expires six (6) weeks from activation of offer. For full Terms and Conditions, visit <u>ubrelvy.com/challenge-terms</u> or call <u>1-844-577-</u>6239 for more information.

Patients already enrolled in the UBRELVY Complete Savings Program are eligible to register for the UBRELVY Challenge.

No head-to-head studies have been conducted between UBRELVY and triptans; therefore, no conclusions regarding safety or efficacy can be drawn.

What is UBRELVY® (ubrogepant)?

UBRELVY is a prescription medicine used for the acute treatment of migraine attacks with or without aura in adults. UBRELVY is not used to prevent migraine headaches.

IMPORTANT SAFETY INFORMATION (CONT.) You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

If you are having difficulty paying for your medicine, AbbVie may be able to help. Visit AbbVie.com/PatientAccessSupport to learn more.

MY MONTHLY HEADACHE AND MIGRAINE TRACKER:

(Month)

Keep track of your migraine attacks by marking the boxes below. After completing the tracker, tear it out, and bring it when you meet with your healthcare provider.

Date	Did I have a migraine today? (y/n)	Duration	Potential Trigger(s)	Symptoms	Pain Level (1-10)	Treatment	Was it effective? (y/n)
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							

Date	Did I have a migraine today? (y/n)	Duration	Potential Trigger(s)	Symptoms	Pain Level (1-10)	Treatment	Was it effective? (y/n)
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							

Is your current treatment plan helping with your migraine attacks?

YES 🗌 NO 🗌

MIGRAINE PAIN RELIEF STARTS WITH

In clinical studies, 60% of people had migraine pain relief within 2 hours.

ASK YOUR DOCTOR ABOUT THE ANYTIME, ANYWHERE MIGRAINE MEDICINE"



IMPORTANT SAFETY INFORMATION

Do not take UBRELVY if you are taking medicines known as strong CYP3A4 inhibitors, such as ketoconazole, clarithromycin, or itraconazole, or if you are allergic to UBRELVY or any of its ingredients.

Please see additional Important Safety Information throughout. Please see accompanying Consumer Brief Summary or visit https://www.rxabbvie.com/pdf/ubrelvy_pi.pdf for full Prescribing Information.

© 2025 AbbVie. All rights reserved. UBRELVY* and its design are registered trademarks of Allergan Pharmaceuticals International Limited, an AbbVie company. THE ANYTIME, ANYWHERE MIGRAINE MEDICINE™ is a trademark of Allergan Pharmaceuticals International Limited, an AbbVie company.

