PRESCRIBED BRANDED TREATMENT
#1
FOR MIGRAINE ATTACKS
As of 10/25
UBRELVY®
(ubrogepant) tablets 50mg 100mg
QUICKLY STOPS MIGRAINE PAIN
WITHIN 2 HOURS
UBRELVY can provide pain freedom within 2 hours.
What is UBRELVY® (ubrogepant)?
UBRELVY is a prescription medicine used for the acute treatment of migraine attacks with or without aura in adults. UBRELVY is not used to prevent migraine headaches.
IMPORTANT SAFETY INFORMATION
Do not take UBRELVY if you are taking medicines known as strong CYP3A4 inhibitors, such as ketoconazole, clarithromycin, or itraconazole, or if you are allergic to UBRELVY or any of its ingredients.
Please see additional Important Safety Information throughout and click for full Prescribing Information and Patient Information, or visit https://www.rxabbvie.com/pdf/ubrelvy_pi.pdf

When a migraine strikes and you've taken a TRIPTAN, can side effects like DIZZINESS throw you off?

UBRELVY WORKS DIFFERENTLY BY DIRECTLY BLOCKING CGRP.

IMPORTANT SAFETY INFORMATION (CONT.)

Before taking UBRELVY, tell your healthcare provider about all your medical conditions, including if you:

- Have high blood pressure
- Have circulation problems in your fingers and toes
- Have liver problems
- Have kidney problems
- Are pregnant or plan to become pregnant
- Are breastfeeding or plan to breastfeed

UBRELVY®
(ubrogepant) tablets

HOW UBRELVY WORKS

Unlike older migraine medicines, **UBRELVY directly blocks** the receptor for calcitonin gene-related peptide (CGRP). CGRP is **believed to play a major role in migraine attacks** by causing pain and inflammation.



ASK YOUR DOCTOR ABOUT UBRELVY

Please see additional Important Safety Information throughout and click for full Prescribing Information and Patient Information, or visit https://www.rxabbvie.com/pdf/ubrelvy_pi.pdf

STAY IN RHYTHM

UBRELVY can provide pain freedom within 2 hours and sustained pain relief up to 24 hours.

Talk to your doctor about how you can stop migraine attacks and stay in rhythm with UBRELVY.

YOU CAN TAKE IT ANYTIME, ANYWHERE

In pivotal studies, people took UBRELVY within 4 hours of a migraine attack.

IMPORTANT SAFETY INFORMATION (CONT.)

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements. Your healthcare provider can tell you if it is safe to take UBRELVY with other medicines.

Please see additional Important Safety Information throughout and click for full Prescribing Information and Patient Information, or visit https://www.rxabbvie.com/pdf/ubrelvy_pi.pdf

UBRELVY®
(ubrogepant) tablets

EARLY SIGNS

People who took UBRELVY at the early signs of a migraine attack stopped intense head pain before it started.

UBRELVY treats migraine attacks in adults and is not for migraine prevention. In pivotal clinical studies, some people had pain freedom within 2 hours. In another study with people who could reliably predict a headache 1-6 hours before it began, 46% avoided moderate to severe head pain for 24 hours when taking UBRELVY 100 mg (vs 29% on placebo). Not everyone had pre-headache symptoms; some studied couldn't accurately predict their headaches. The most common side effects were nausea, dizziness, and tiredness.

ASK YOUR DOCTOR ABOUT TREATING MIGRAINE AT EARLY SIGNS WITH UBRELVY

With UBRELVY 100 mg, people were able to avoid migraine pain when taken during early symptoms of a migraine attack. Being able to identify early signs, and taking UBRELVY during those early signs, can help you avoid head pain. Treating early in the attack isn't for everyone, and some can't accurately predict their headaches. Talk to your doctor before changing how you treat migraine attacks.

EARLY SIGNS OF A MIGRAINE ATTACK COULD MEAN HEAD PAIN IS NEXT.

The way you experience migraine attacks may be different than others, but attacks generally have 4 stages.

2X

PEOPLE WHO TOOK UBRELVY EARLY WERE 2X MORE LIKELY TO AVOID INTENSE HEAD PAIN THROUGH 24 HOURS

ATTACK STAGES

1 PRODROME

- Neck pain or stiffness
- Light sensitivity
- Tiredness/sleepiness/fatigue
- Sensitivity to sound
- Dizziness/lightheadedness/vertigo/imbalance

2 AURA

- Visual disturbances
- Temporary loss of sight
- Numbness and tingling

3 HEAD PAIN

- Head pain
- Light and sound sensitivity
- Nausea and vomiting

4 POSTDROME

- Drained
- Confused
- Washed out

Note: Not everyone has these signs, and they can differ from person to person.

IMPORTANT SAFETY INFORMATION (CONT.)

UBRELVY may cause serious side effects, including:

- **Allergic reactions:** Most reactions happened within hours after taking UBRELVY and were not serious. Some reactions may occur days after taking UBRELVY. Call your healthcare provider or get emergency help right away if you have swelling of the face, mouth, tongue, or throat or trouble breathing.

Please see additional Important Safety Information throughout and click for full Prescribing Information and Patient Information, or visit https://www.rxabbvie.com/pdf/ubrelvy_pi.pdf

Please see additional Important Safety Information throughout and click for full Prescribing Information and Patient Information, or visit https://www.rxabbvie.com/pdf/ubrelvy_pi.pdf

UBRELVY® COMPLETE

ELIGIBLE COMMERCIALLY INSURED PATIENTS MAY PAY AS LITTLE AS $0* A MONTH FOR UBRELVY

Not actual card.

See if you're eligible to pay as little as $0* for every fill with the UBRELVY Complete Savings Card.

HOW TO START SAVING

There are two ways to get your UBRELVY Complete Savings Card:

TEXT UBRELVY TO 48764†

SCAN TO SIGN UP TODAY or visit **UBRELVY.com/complete** to learn more.

Have questions? We have answers.
One of our live representatives can answer your questions about insurance coverage, cost, and other information you may want to know about UBRELVY.
Call **1.844.4UBRELVY** (1.844.482.7358)
Monday–Friday, 8:00 AM to 8:00 PM Eastern Time.

***Eligibility:** Available to patients with commercial insurance coverage for UBRELVY® (ubrogepant) who meet eligibility criteria. This co-pay assistance program is not available to patients receiving prescription reimbursement under any federal, state, or government-funded insurance programs (for example, Medicare [including Part D], Medicare Advantage, Medigap, Medicaid, TRICARE, Department of Defense, or Veterans Affairs programs) or where prohibited by law. Offer subject to change or termination without notice. Restrictions, including monthly maximums, may apply. This is not health insurance. **For full Terms and Conditions, visit UBRELVY.com/savings-terms or call 1.844.4UBRELVY for additional information.** To learn about AbbVie's privacy practices and your privacy choices, visit https://abbv.ie/corpprivacy.

†Msg & data rates may apply. You are not required to consent as a condition of receiving goods or services. You can reply HELP for help. You can reply STOP to opt out at any time. By texting UBRELVY to 48764, you agree to AbbVie's Mobile T&C at **https://abbv.ie/USMobileTerms** and Privacy Notice at **https://abbv.ie/corpprivacy**. Full Prescribing Information available at **https://www.rxabbvie.com/pdf/ubrelvy_pi.pdf**.

Please see additional Important Safety Information throughout and click for full Prescribing Information and Patient Information, or visit https://www.rxabbvie.com/pdf/ubrelvy_pi.pdf

THE UBRELVY® CHALLENGE

TAKING AN ORAL TRIPTAN TO TREAT MIGRAINE ATTACKS?

FOR ELIGIBLE COMMERCIALLY INSURED PATIENTS TAKING AN ORAL TRIPTAN

START UBRELVY AND IF YOU CHOOSE TO REFILL YOUR TRIPTAN, YOUR NEXT TRIPTAN FILL IS ON US.*

SCAN TO GET STARTED

or visit **UBRELVY.com/challenge**

*Offer not available to patients enrolled in Medicare, Medicaid, or any other federal or state healthcare programs. Restrictions, including savings maximums, apply. Patient out-of-pocket expense will vary depending on insurance coverage. UBRELVY coupon becomes valid upon activation of offer. Oral triptan medication coupon becomes valid two (2) weeks from activation of offer and expires six (6) weeks from activation of offer. **For full Terms and Conditions, visit UBRELVY.com/challenge-terms or call 1.844.4UBRELVY for more information.**

Patients already enrolled in the UBRELVY Complete Savings Program are eligible to register for the UBRELVY Challenge.

No head-to-head studies have been conducted between UBRELVY and triptans; therefore, no conclusions regarding safety or efficacy can be drawn.

IMPORTANT SAFETY INFORMATION (CONT.)

UBRELVY may cause serious side effects, including (cont.):

- **High blood pressure:** New or worsening of high blood pressure can happen. Contact your healthcare provider if you have an increase in blood pressure.
- **Raynaud's phenomenon:** A type of circulation problem can worsen or happen. Raynaud's phenomenon can lead to your fingers or toes feeling numb, cool, or painful, or changing color from pale, to blue, to red. Contact your healthcare provider if these symptoms occur.

MY MONTHLY HEADACHE AND MIGRAINE TRACKER: _____ (Month)

Keep track of your migraine attacks by marking the boxes below. After completing the tracker, tear it out, and bring it when you meet with your healthcare provider.

Date	Did I have a migraine today? (y/n)	Duration	Potential Trigger(s)	Symptoms	Pain Level (1-10)	Treatment	Was it effective? (y/n)
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							
13							
14							
15							
16							
17							
18							
19							
20							
21							
22							
23							
24							
25							
26							
27							
28							
29							
30							
31							

Is your current treatment plan helping with your migraine attacks? YES ☐ NO ☐

UBRELVY®

(ubrogepant) tablets | 50mg 100mg

STAY IN RHYTHM

UBRELVY can provide pain freedom within 2 hours.

Talk to your doctor about how you can stop migraine attacks and stay in rhythm with UBRELVY.

ASK YOUR DOCTOR ABOUT THE ANYTIME, ANYWHERE MIGRAINE MEDICINE™

IMPORTANT SAFETY INFORMATION (CONT.)

The most common side effects of UBRELVY are nausea (4%) and sleepiness (3%). These are not all of the possible side effects of UBRELVY.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

If you are having difficulty paying for your medicine, AbbVie may be able to help. Visit AbbVie.com/PatientAccessSupport to learn more.

Please see additional Important Safety Information throughout and click for full Prescribing Information and Patient Information, or visit https://www.rxabbvie.com/pdf/ubrelvy_pi.pdf

© 2026 AbbVie. All rights reserved.
UBRELVY® and its design are registered trademarks of Allergan Pharmaceuticals International Limited, an AbbVie company.
THE ANYTIME, ANYWHERE MIGRAINE MEDICINE™ is a trademark of Allergan Pharmaceuticals International Limited, an AbbVie company.

US-UBR-250213 01/26

abbvie